

NAME

roff2pdf – transform roff code into pdf mode

SYNOPSIS

roff2pdf [*groffer-option* ...] [--] [*filespec* ...]

roff2pdf -h

roff2pdf --help

roff2pdf -v

roff2pdf --version

The options **-v** and **--version** print the version information of the program to standard output and exit. The options **-h** and **--help** print a usage information of the program to standard output and stop the program instantly.

All other options are assumed to be **groffer** options. They are internally passed to **groffer**. They override the behavior of the program. The options are optional, they can be omitted.

The *filespec* arguments correspond to the *filespec* arguments of **groffer**. So they are either the names of existing, readable files or **-** for standard input, or the name of a man page or a [groffer\(1\)](#) man page search pattern. If no *filespec* is specified standard input is assumed automatically.

DESCRIPTION

roff2pdf transforms *roff* code into *pdf* mode. Print the result to standard output.

There are more of these programs for generating other formats of *roff* input.

[roff2dvi\(1\)](#)

is for *dvi* mode.

[roff2html\(1\)](#)

generates *HTML* output.

[roff2ps\(1\)](#)

prints *PostScript* format to standard output.

[roff2text\(1\)](#)

generates text output in the **groff** device *latin1*.

[roff2x\(1\)](#)

prints the output in the **groff** device **X** that is suitable for programs like [gxditview\(1\)](#) or [xditview\(1\)](#).

AUTHORS

roff2pdf was written by [Bernd Warken](#).

SEE ALSO

[groff\(1\)](#), [groffer\(1\)](#), [roff2dvi\(1\)](#), [roff2html\(1\)](#), [roff2pdf\(1\)](#), [roff2ps\(1\)](#), [roff2text\(1\)](#), [roff2x\(1\)](#), [gxditview\(1\)](#).